

Serial Number: F2076

# MICROTRAC - X100

Ver: 9.0h  
Meas: Original

D50: 7.5 +0.30

Date: 11/28/20 Meas #: N/A  
Time: 15:56 Pres #: N/A


HENAN YALONG SUPERHARO MATERIALS CO.,LTD  
16-5A ZHOU P.C.450007 CHINA  
TEL: 86-371-67650359  
FAX: 86-371-67650319

Summary  
mv = 7.966  
mn = 6.763  
ma = 7.496  
cs = 0.800  
sd = 1.770

Percentiles  
5% = 5.344 60% = 8.024  
10% = 5.765 70% = 8.564  
30% = 6.766 80% = 9.265  
40% = 7.164 90% = 10.52  
50% = 7.571 95% = 11.91

Dia Vol% Width  
7.571 100% 3.539

%PASS



| SIZE  | %PASS  | %CHAN | SIZE  | %PASS | %CHAN | SIZE  | %PASS | %CHAN |
|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| 704.0 | 100.00 | 0.00  | 9.250 | 79.85 | 11.15 | 1.060 | 0.00  | 0.00  |
| 645.6 | 100.00 | 0.00  | 8.482 | 68.70 | 13.83 | 0.972 | 0.00  | 0.00  |
| 592.0 | 100.00 | 0.00  | 7.778 | 54.87 | 15.66 | 0.892 | 0.00  | 0.00  |
| 542.9 | 100.00 | 0.00  | 7.133 | 39.21 | 14.64 | 0.818 | 0.00  | 0.00  |
| 497.8 | 100.00 | 0.00  | 6.541 | 24.57 | 10.84 | 0.750 | 0.00  | 0.00  |
| 456.5 | 100.00 | 0.00  | 5.998 | 13.73 | 7.27  | 0.688 | 0.00  | 0.00  |
| 418.6 | 100.00 | 0.00  | 5.500 | 6.46  | 3.68  | 0.630 | 0.00  | 0.00  |
| 383.9 | 100.00 | 0.00  | 5.044 | 2.78  | 1.69  | 0.578 | 0.00  | 0.00  |
| 352.0 | 100.00 | 0.00  | 4.625 | 1.09  | 0.80  | 0.530 | 0.00  | 0.00  |
| 322.8 | 100.00 | 0.00  | 4.241 | 0.29  | 0.29  | 0.486 | 0.00  | 0.00  |
| 296.0 | 100.00 | 0.00  | 3.889 | 0.00  | 0.00  | 0.446 | 0.00  | 0.00  |
| 271.4 | 100.00 | 0.00  | 3.566 | 0.00  | 0.00  | 0.409 | 0.00  | 0.00  |
| 248.9 | 100.00 | 0.00  | 3.270 | 0.00  | 0.00  | 0.375 | 0.00  | 0.00  |
| 228.2 | 100.00 | 0.00  | 2.999 | 0.00  | 0.00  | 0.344 | 0.00  | 0.00  |
| 209.3 | 100.00 | 0.00  | 2.750 | 0.00  | 0.00  | 0.315 | 0.00  | 0.00  |
| 191.9 | 100.00 | 0.00  | 2.522 | 0.00  | 0.00  | 0.289 | 0.00  | 0.00  |
| 176.0 | 100.00 | 0.00  | 2.312 | 0.00  | 0.00  | 0.265 | 0.00  | 0.00  |
| 161.4 | 100.00 | 0.00  | 2.121 | 0.00  | 0.00  | 0.243 | 0.00  | 0.00  |
| 148.0 | 100.00 | 0.00  | 1.945 | 0.00  | 0.00  | 0.223 | 0.00  | 0.00  |
| 135.7 | 100.00 | 0.00  | 1.783 | 0.00  | 0.00  | 0.204 | 0.00  | 0.00  |
| 124.5 | 100.00 | 0.00  | 1.635 | 0.00  | 0.00  | 0.187 | 0.00  | 0.00  |
| 114.1 | 100.00 | 0.00  | 1.499 | 0.00  | 0.00  | 0.172 | 0.00  | 0.00  |
| 104.7 | 100.00 | 0.00  | 1.375 | 0.00  | 0.00  | 0.158 | 0.00  | 0.00  |
| 95.96 | 100.00 | 0.00  | 1.261 | 0.00  | 0.00  | 0.145 | 0.00  | 0.00  |
| 88.00 | 100.00 | 0.00  | 1.156 | 0.00  | 0.00  | 0.133 | 0.00  | 0.00  |

| SIZE  | %PASS  | %CHAN | SIZE  | %PASS | %CHAN | SIZE  | %PASS | %CHAN |
|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| 704.0 | 100.00 | 0.00  | 9.250 | 79.85 | 11.15 | 1.060 | 0.00  | 0.00  |
| 645.6 | 100.00 | 0.00  | 8.482 | 68.70 | 13.83 | 0.972 | 0.00  | 0.00  |
| 592.0 | 100.00 | 0.00  | 7.778 | 54.87 | 15.66 | 0.892 | 0.00  | 0.00  |
| 542.9 | 100.00 | 0.00  | 7.133 | 39.21 | 14.64 | 0.818 | 0.00  | 0.00  |
| 497.8 | 100.00 | 0.00  | 6.541 | 24.57 | 10.84 | 0.750 | 0.00  | 0.00  |
| 456.5 | 100.00 | 0.00  | 5.998 | 13.73 | 7.27  | 0.688 | 0.00  | 0.00  |
| 418.6 | 100.00 | 0.00  | 5.500 | 6.46  | 3.68  | 0.630 | 0.00  | 0.00  |
| 383.9 | 100.00 | 0.00  | 5.044 | 2.78  | 1.69  | 0.578 | 0.00  | 0.00  |
| 352.0 | 100.00 | 0.00  | 4.625 | 1.09  | 0.80  | 0.530 | 0.00  | 0.00  |
| 322.8 | 100.00 | 0.00  | 4.241 | 0.29  | 0.29  | 0.486 | 0.00  | 0.00  |
| 296.0 | 100.00 | 0.00  | 3.889 | 0.00  | 0.00  | 0.446 | 0.00  | 0.00  |
| 271.4 | 100.00 | 0.00  | 3.566 | 0.00  | 0.00  | 0.409 | 0.00  | 0.00  |
| 248.9 | 100.00 | 0.00  | 3.270 | 0.00  | 0.00  | 0.375 | 0.00  | 0.00  |
| 228.2 | 100.00 | 0.00  | 2.999 | 0.00  | 0.00  | 0.344 | 0.00  | 0.00  |
| 209.3 | 100.00 | 0.00  | 2.750 | 0.00  | 0.00  | 0.315 | 0.00  | 0.00  |
| 191.9 | 100.00 | 0.00  | 2.522 | 0.00  | 0.00  | 0.289 | 0.00  | 0.00  |
| 176.0 | 100.00 | 0.00  | 2.312 | 0.00  | 0.00  | 0.265 | 0.00  | 0.00  |
| 161.4 | 100.00 | 0.00  | 2.121 | 0.00  | 0.00  | 0.243 | 0.00  | 0.00  |
| 148.0 | 100.00 | 0.00  | 1.945 | 0.00  | 0.00  | 0.223 | 0.00  | 0.00  |
| 135.7 | 100.00 | 0.00  | 1.783 | 0.00  | 0.00  | 0.204 | 0.00  | 0.00  |
| 124.5 | 100.00 | 0.00  | 1.635 | 0.00  | 0.00  | 0.187 | 0.00  | 0.00  |
| 114.1 | 100.00 | 0.00  | 1.499 | 0.00  | 0.00  | 0.172 | 0.00  | 0.00  |
| 104.7 | 100.00 | 0.00  | 1.375 | 0.00  | 0.00  | 0.158 | 0.00  | 0.00  |
| 95.96 | 100.00 | 0.00  | 1.261 | 0.00  | 0.00  | 0.145 | 0.00  | 0.00  |
| 88.00 | 100.00 | 0.00  | 1.156 | 0.00  | 0.00  | 0.133 | 0.00  | 0.00  |

Distribution: Volume  
 RunTime: 10 seconds  
 Fluid: Water  
 Fluid Refractive Index: 1.33  
 Loading Factor: 0.0388  
 Particle: W 0.5  
 Progression: Geometric Roots  
 Run Number 1 of 1 runs  
 Lower Edge: 0.122  
 Upper Edge: 704.0  
 Disabled: Disabled  
 Number Of Channels: 100  
 Filter: On  
 Database Path: N/A