

Serial Number: F2076

# MICROTRAC - X100


Ver: 9.0h  
Meas : Original

D50=0.63+0.05

Date: 03/01/24 Meas #:N/A  
Time: 14:52 Pres #: N/A

HENAN YALONG SUPERHARO MATERIALS CO;LTD  
16-5A NO.43 ZHONGYUAN WEST ROAD  
ZHENG ZHOU P.C.450007 CHINA  
TEL:86-371-67650359  
FAX:86-371-67650319

Summary	Percentiles		Dia	Vol%	Width
mv = 0.663	5% = 0.498	60% = 0.672	0.642	100%	0.232
mn = 0.607	10% = 0.522	70% = 0.707			
ma = 0.642	30% = 0.589	80% = 0.753			
cs = 9.351	40% = 0.616	90% = 0.825			
sd = 0.116	50% = 0.642	95% = 0.895			



SIZE	%PASS	%CHAN	SIZE	%PASS	%CHAN	SIZE	%PASS	%CHAN	SIZE	%PASS	%CHAN
704.0	100.00	0.00	80.70	100.00	0.00	9.250	100.00	0.00	1.060	98.99	1.35
645.6	100.00	0.00	74.00	100.00	0.00	8.482	100.00	0.00	0.972	97.64	2.76
592.0	100.00	0.00	67.86	100.00	0.00	7.778	100.00	0.00	0.892	94.88	5.48
542.9	100.00	0.00	62.23	100.00	0.00	7.133	100.00	0.00	0.818	89.40	9.93
497.8	100.00	0.00	57.06	100.00	0.00	6.541	100.00	0.00	0.750	79.47	14.45
456.5	100.00	0.00	52.33	100.00	0.00	5.998	100.00	0.00	0.688	65.02	19.51
418.6	100.00	0.00	47.98	100.00	0.00	5.500	100.00	0.00	0.630	45.51	19.39
383.9	100.00	0.00	44.00	100.00	0.00	5.044	100.00	0.00	0.578	26.12	14.26
352.0	100.00	0.00	40.35	100.00	0.00	4.625	100.00	0.00	0.530	11.86	8.88
322.8	100.00	0.00	37.00	100.00	0.00	4.241	100.00	0.00	0.486	2.98	2.56
296.0	100.00	0.00	33.93	100.00	0.00	3.889	100.00	0.00	0.446	0.42	0.42
271.4	100.00	0.00	31.11	100.00	0.00	3.566	100.00	0.00	0.409	0.00	0.00
248.9	100.00	0.00	28.53	100.00	0.00	3.270	100.00	0.00	0.375	0.00	0.00
228.2	100.00	0.00	26.16	100.00	0.00	2.999	100.00	0.00	0.344	0.00	0.00
209.3	100.00	0.00	23.99	100.00	0.00	2.750	100.00	0.00	0.315	0.00	0.00
191.9	100.00	0.00	22.00	100.00	0.00	2.522	100.00	0.00	0.289	0.00	0.00
176.0	100.00	0.00	20.17	100.00	0.00	2.312	100.00	0.00	0.265	0.00	0.00
161.4	100.00	0.00	18.50	100.00	0.00	2.121	100.00	0.00	0.243	0.00	0.00
148.0	100.00	0.00	16.96	100.00	0.00	1.945	100.00	0.00	0.223	0.00	0.00
135.7	100.00	0.00	15.56	100.00	0.00	1.783	100.00	0.00	0.204	0.00	0.00
124.5	100.00	0.00	14.27	100.00	0.00	1.635	100.00	0.00	0.187	0.00	0.00
114.1	100.00	0.00	13.08	100.00	0.00	1.499	100.00	0.00	0.172	0.00	0.00
104.7	100.00	0.00	12.00	100.00	0.00	1.375	100.00	0.12	0.158	0.00	0.00
95.96	100.00	0.00	11.00	100.00	0.00	1.261	99.88	0.29	0.145	0.00	0.00
88.00	100.00	0.00	10.09	100.00	0.00	1.156	99.59	0.60	0.133	0.00	0.00

Distribution: Volume	RunTime: 10 seconds	Fluid: Water
Progression: Geometric Root8	Run Number 1 of 1 runs	Fluid Refractive Index: 1.33
Upper Edge: 704.0	Particle: W 0.5	Loading Factor: 0.0079
Lower Edge: 0.122	Particle Transparency: Trans	Transmission: 0.95
Residuals: Disabled	Particle Refractive Index: 2.41	Above Residual: 0.00
Number Of Channels: 100	Particle Shape: Irregular	Below Residual: 0.00
X100 Extended Range: No		
Filter: On	Database Path: N/A	Efficiency Shift: -4.00
		Function Shift: 2.02