

Serial Number: F2076

# MICROTRAC - X100

Ver: 9.0h  
Meas : Original


D50=9.20+0.80

Date: 06/13/24 Meas #:N/A  
Time: 09:25 Pres #: N/A

HENAN YALONG SUPERHARO MATERIALS CO;LTD  
16-5A NO.43 ZHONGYUAN WEST ROAD  
ZHENG ZHOU P.C.450007 CHINA  
TEL:86-371-67650359  
FAX:86-371-67650319

Summary	Percentiles		
mv = 9.876	5% = 6.477	60% = 9.957	
mn = 8.245	10% = 7.015	70% = 10.65	
ma = 9.242	30% = 8.305	80% = 11.61	
cs = 0.649	40% = 8.823	90% = 13.27	
sd = 2.328	50% = 9.361	95% = 15.08	

Dia	Vol%	Width
9.361	100%	4.655



SIZE	%PASS	%CHAN	SIZE	%PASS	%CHAN	SIZE	%PASS	%CHAN	SIZE	%PASS	%CHAN
704.0	100.00	0.00	80.70	100.00	0.00	9.250	48.06	14.67	1.060	0.00	0.00
645.6	100.00	0.00	74.00	100.00	0.00	8.482	33.39	13.00	0.972	0.00	0.00
592.0	100.00	0.00	67.86	100.00	0.00	7.778	20.39	9.11	0.892	0.00	0.00
542.9	100.00	0.00	62.23	100.00	0.00	7.133	11.28	5.87	0.818	0.00	0.00
497.8	100.00	0.00	57.06	100.00	0.00	6.541	5.41	3.00	0.750	0.00	0.00
456.5	100.00	0.00	52.33	100.00	0.00	5.998	2.41	1.40	0.688	0.00	0.00
418.6	100.00	0.00	47.98	100.00	0.00	5.500	1.01	0.71	0.630	0.00	0.00
383.9	100.00	0.00	44.00	100.00	0.00	5.044	0.30	0.30	0.578	0.00	0.00
352.0	100.00	0.00	40.35	100.00	0.00	4.625	0.00	0.00	0.530	0.00	0.00
322.8	100.00	0.00	37.00	100.00	0.00	4.241	0.00	0.00	0.486	0.00	0.00
296.0	100.00	0.00	33.93	100.00	0.00	3.889	0.00	0.00	0.446	0.00	0.00
271.4	100.00	0.00	31.11	100.00	0.00	3.566	0.00	0.00	0.409	0.00	0.00
248.9	100.00	0.00	28.53	100.00	0.00	3.270	0.00	0.00	0.375	0.00	0.00
228.2	100.00	0.00	26.16	100.00	0.18	2.999	0.00	0.00	0.344	0.00	0.00
209.3	100.00	0.00	23.99	99.82	0.30	2.750	0.00	0.00	0.315	0.00	0.00
191.9	100.00	0.00	22.00	99.52	0.43	2.522	0.00	0.00	0.289	0.00	0.00
176.0	100.00	0.00	20.17	99.09	0.65	2.312	0.00	0.00	0.265	0.00	0.00
161.4	100.00	0.00	18.50	98.44	1.02	2.121	0.00	0.00	0.243	0.00	0.00
148.0	100.00	0.00	16.96	97.42	1.61	1.945	0.00	0.00	0.223	0.00	0.00
135.7	100.00	0.00	15.56	95.81	2.53	1.783	0.00	0.00	0.204	0.00	0.00
124.5	100.00	0.00	14.27	93.28	4.02	1.635	0.00	0.00	0.187	0.00	0.00
114.1	100.00	0.00	13.08	89.26	6.17	1.499	0.00	0.00	0.172	0.00	0.00
104.7	100.00	0.00	12.00	83.09	8.84	1.375	0.00	0.00	0.158	0.00	0.00
95.96	100.00	0.00	11.00	74.25	12.13	1.261	0.00	0.00	0.145	0.00	0.00
88.00	100.00	0.00	10.09	62.12	14.06	1.156	0.00	0.00	0.133	0.00	0.00

Distribution: Volume	RunTime: 10 seconds	Fluid: Water
Progression: Geometric Root8	Run Number 1 of 1 runs	Fluid Refractive Index: 1.33
Upper Edge: 704.0	Particle: W 0.5	Loading Factor: 0.0533
Lower Edge: 0.122	Particle Transparency: Trans	Transmission: 0.94
Residuals: Disabled	Particle Refractive Index: 2.41	Above Residual: 0.00
Number Of Channels: 100	Particle Shape: Irregular	Below Residual: 0.00
X100 Extended Range: No		
Filter: On	Database Path: N/A	Efficiency Shift: -4.00
		Function Shift: 2.02